

病理診断学

○主な研究内容

- 1 腫瘍の形態形成及び悪性度に関与する遺伝子異常の解明
- 2 病理診断上有用な免疫組織化学染色マーカーの検討
- 3 新しい分子病理診断法の導入
- 4 骨軟部腫瘍の組織学的悪性度及び予後因子の探索
- 5 悪性腫瘍の治療標的分子となる特異的遺伝子異常の解析

○Pub Med 掲載論文 (2018 年)

1. [A Case of Retroperitoneal Atypical Spindle Cell Lipomatous Tumor].

Kirisawa T, Kobayashi K, Nofuji S, Fukuta F, Hashimoto K, Tanaka T, Hasegawa T, Masumori N.

Hinyokika Kyo. 2018 Nov;64(11):431-433. doi: 10.14989/ActaUrolJap_64_11_431. Japanese. PMID: 30543741

2. Secondary malignant giant cell tumor of bone with histone H3.3 mutation: A case series.

Emori M, Nagoya S, Sugawara M, Mizushima E, Shimizu J, Murahashi Y, Murase K, Takada K, Sugita S, Takagi M, Hasegawa T, Yamashita T.

J Orthop Sci. 2018 Dec 3. pii: S0949-2658(18)30325-7. doi: 10.1016/j.jos.2018.11.002. [Epub ahead of print] No abstract available.

PMID: 30522923

3. Occult ovarian clear-cell carcinoma diagnosed as primary adenocarcinoma of the lung: A case report of a diagnostic pitfall for clinicians and pathologists.

Kubo T, Hirohashi Y, Fujita H, Sugita S, Kikuchi Y, Shinkawa T, Nakatsugawa M, Tsujiwaki M, Sudo Y, Asai Y, Umeda Y, Takahashi H, Hasegawa T, Torigoe T.

Respir Med Case Rep. 2018 Oct 18;25:306-308. doi: 10.1016/j.rmcr.2018.10.013. eCollection 2018.

PMID: 30386720 Free PMC Article

4. Efficacy of liquid-based genetic diagnosis of endometrial cancer.

Matsuura M, Yamaguchi K, Tamate M, Satohisa S, Teramoto M, Iwasaki M, Sugita S, Hasegawa T, Koubo R, Takane K, Ikenoue T, Furukawa Y, Saito T.

Cancer Sci. 2018 Dec;109(12):4025-4032. doi: 10.1111/cas.13819. Epub 2018 Oct 26.

PMID: 30289582 Free PMC Article

5. Differential bronchial epithelial response regulated by Δ Np63: a functional understanding of the epithelial shedding found in asthma.

Kubo T, Tsujiwaki M, Hirohashi Y, Tsukahara T, Kanaseki T, Nakatsugawa M, Hasegawa T, Torigoe T.

Lab Invest. 2018 Sep 25. doi: 10.1038/s41374-018-0132-6. [Epub ahead of print]

PMID: 30254318

6. Influence of PD-L1 expression in immune cells on the response to radiation therapy in patients with oropharyngeal squamous cell carcinoma.

Fukushima Y, Someya M, Nakata K, Hori M, Kitagawa M, Hasegawa T, Tsuchiya T, Gocho T, Ikeda H, Hirohashi Y, Torigoe T, Sugita S, Hasegawa T, Himi T, Sakata KI.

Radiother Oncol. 2018 Nov;129(2):409–414. doi: 10.1016/j.radonc.2018.08.023. Epub 2018 Sep 21.

PMID: 30249348

7. Systematic identification of cancer-specific MHC-binding peptides with RAVEN.

Baldauf MC, Gerke JS, Kirschner A, Blaeschke F, Effenberger M, Schober K, Rubio RA, Kanaseki T, Kiran MM, Dallmayer M, Musa J, Akpolat N, Akatli AN, Rosman FC, Özen Ö, Sugita S, Hasegawa T, Sugimura H, Baumhoer D, Knott MML, Sannino G, Marchetto A, Li J, Busch DH, Feuchtinger T, Ohmura S, Orth MF, Thiel U, Kirchner T, Grünewald TGP.

Oncoimmunology. 2018 Jul 23;7(9):e1481558. doi: 10.1080/2162402X.2018.1481558. eCollection 2018.

PMID: 30228952 Free PMC Article

8. Detection of specific gene rearrangements by fluorescence in situ hybridization in 16 cases of clear cell sarcoma of soft tissue and 6 cases of clear cell sarcoma-like gastrointestinal tumor.

Segawa K, Sugita S, Aoyama T, Kubo T, Asanuma H, Sugawara T, Ito Y, Tsujiwaki M, Fujita H, Emori M, Hasegawa T.

Diagn Pathol. 2018 Sep 15;13(1):73. doi: 10.1186/s13000-018-0752-6.

PMID: 30219084 Free PMC Article

9. Histopathological differences of experimental aneurysms treated with bare platinum, fibered, and bioactive coils.

Usami Y, Hirokawa N, Saitoh M, Okuda H, Someya M, Hasegawa T, Takakuwa Y, Sakata KI. *Minim Invasive Ther Allied Technol.* 2018 Aug 16:1–6. doi: 10.1080/13645706.2018.1499532. [Epub ahead of print]

PMID: 30113870

10. Diverticulum of the buccal mucosa: a rare case report and review of the literature.

Miyazaki A, Miyamoto S, Nakai H, Nishiyama K, Tsuchihashi K, Kobayashi JI, Ogi K, Dehari H, Hasegawa T, Hiratsuka H.

BMC Oral Health. 2018 Jun 7;18(1):102. doi: 10.1186/s12903-018-0572-9.

PMID: 29879973 Free PMC Article

11. MicroRNA-31 reflects IL-6 expression in cancer tissue and is related with poor prognosis in bile duct cancer.

Ishigami K, Noshio K, Koide H, Kanno S, Mitsuhashi K, Igarashi H, Shitani M, Motoya M, Kimura Y, Hasegawa T, Kaneto H, Takemasa I, Suzuki H, Nakase H.

Garcinogenesis. 2018 Sep 21;39(9):1127–1134. doi: 10.1093/carcin/bgy075.
PMID: 29860474

12. Bacillus Calmette–Guérin may have clinical benefit for glandular or squamous differentiation in non-muscle invasive bladder cancer patients: retrospective multicenter study.

Yorozuya W, Nishiyama N, Shindo T, Kyoda Y, Itoh N, Sugita S, Hasegawa T, Masumori N. Jpn J Clin Oncol. 2018 Jul 1;48(7):661–666. doi: 10.1093/jjco/hyy066.
PMID: 29733363

13. Development of moyamoya disease after non-herpetic acute limbic encephalitis: A case report.

Takahashi Y, Mikami T, Suzuki H, Komatsu K, Yamamoto D, Shimohama S, Houkin K, Sugita S, Hasegawa T, Mikuni N. J Clin Neurosci. 2018 Jul;53:250–253. doi: 10.1016/j.jocn.2018.04.042. Epub 2018 May 3.
PMID: 29731274

14. Tumor budding is an independent prognostic marker in early stage oral squamous cell carcinoma: With special reference to the mode of invasion and worst pattern of invasion.

Shimizu S, Miyazaki A, Sonoda T, Koike K, Ogi K, Kobayashi JI, Kaneko T, Igarashi T, Ueda M, Dehari H, Miyakawa A, Hasegawa T, Hiratsuka H. PLoS One. 2018 Apr 19;13(4):e0195451. doi: 10.1371/journal.pone.0195451. eCollection 2018.
PMID: 29672550 Free PMC Article

15. Survivin knockdown induces senescence in TTF-1-expressing, KRAS-mutant lung adenocarcinomas.

Sumi T, Hirai S, Yamaguchi M, Tanaka Y, Tada M, Yamada G, Hasegawa T, Miyagi Y, Niki T, Watanabe A, Takahashi H, Sakuma Y. Int J Oncol. 2018 Jul;53(1):33–46. doi: 10.3892/ijo.2018.4365. Epub 2018 Apr 11.
PMID: 29658609 Free PMC Article

16. Nodular fasciitis involving the palm.

Emori M, Shimizu J, Murahashi Y, Mizushima E, Sugita S, Hasegawa T, Yamashita T. Ann R Coll Surg Engl. 2018 May;100(5):e128–e131. doi: 10.1308/rcsann.2018.0061. Epub 2018 Apr 16.
PMID: 29658336

17. Giant cell-rich osteosarcoma of the vertebra with murine double minute chromosome 2- and cyclin-dependent kinase 4-positive and histone H3F3A mutant p.Gly34Trp-negative immunophenotypes.

Ito Y, Sugita S, Segawa K, Sugawara T, Tsujiwaki M, Fujita H, Ono Y, Morita T, Emori M, Hasegawa T.

Pathol Int. 2018 May;68(5):324–326. doi: 10.1111/pin.12650. Epub 2018 Feb 15. No abstract available.
PMID: 29446514

18. Cytokeratin 19 expression is a risk factor for metastasis in cutaneous squamous cell carcinoma.

Kato J, Hida T, Sugita S, Hasegawa T, Kamiya S, Horimoto K, Sato S, Sawada M, Uhara H. J Eur Acad Dermatol Venereol. 2018 Jul;32(7):e299–e301. doi: 10.1111/jdv.14845. Epub 2018 Mar 5. No abstract available.
PMID: 29419901

19. Hepatic portal venous gas due to polystyrene sulfonate-induced enteritis.

Kubo T, Yamashita K, Yokoyama Y, Hirayama D, Shirata T, Mitsuhashi K, Onodera K, Yamamoto E, Noshio K, Yamano H, Kubo T, Sugita S, Hasegawa T, Nakase H. Clin J Gastroenterol. 2018 Jun;11(3):220–223. doi: 10.1007/s12328-018-0818-8. Epub 2018 Jan 22.
PMID: 29356959

20. Colonic inflammatory fibroid polyp with PDGFRA expression.

Sugawara T, Sugita S, Tateno M, Yabutani A, Segawa K, Ito Y, Tsujiwaki M, Fujita H, Ono Y, Hasegawa T. Pathol Int. 2018 Mar;68(3):205–206. doi: 10.1111/pin.12625. Epub 2017 Dec 29. No abstract available.
PMID: 29288548

21. Prediction of acute gastrointestinal and genitourinary radiation toxicity in prostate cancer patients using lymphocyte microRNA.

Someya M, Hori M, Gocho T, Nakata K, Tsuchiya T, Kitagawa M, Hasegawa T, Fukushima Y, Sakata KI. Jpn J Clin Oncol. 2018 Feb 1;48(2):167–174. doi: 10.1093/jjco/hyx181.
PMID: 29281088

22. Multiple gastrointestinal stromal tumors involving extragastrointestinal sites in neurofibromatosis type 1.

Segawa K, Sugita S, Sugawara T, Ito Y, Tsujiwaki M, Fujita H, Ono Y, Kobayashi K, Hirobe M, Yoshida M, Hasegawa T. Pathol Int. 2018 Feb;68(2):142–144. doi: 10.1111/pin.12620. Epub 2017 Dec 8. No abstract available.
PMID: 29222828

23. Re-evaluation of MIB-1 immunostaining for diagnosing hyalinizing trabecular tumour of the thyroid: semi-automated techniques with manual antigen retrieval are more accurate than fully automated techniques.

Takada N, Hirokawa M, Ohbayashi C, Nishikawa T, Itoh T, Imagawa N, Oyama T, Handa T,

Hasegawa T, Sugita S, Murata A, Miyauchi A.
Endocr J. 2018 Feb 26;65(2):239–244. doi: 10.1507/endocrj.EJ17-0413. Epub 2017 Dec 2.
PMID: 29199205 Free Article

24. Image analysis is an excellent tool for quantifying Ki-67 to predict the prognosis of gastrointestinal stromal tumor patients.

Sugita S, Hirano H, Hatanaka Y, Fujita H, Kubo T, Kikuchi N, Ito Y, Sugawara T, Segawa K, Hisai H, Yamashita K, Nobuoka T, Matsuno Y, Hasegawa T.
Pathol Int. 2018 Jan;68(1):7–11. doi: 10.1111/pin.12611. Epub 2017 Nov 13.
PMID: 29131458

25. Estrogen/GPR30 Signaling Contributes to the Malignant Potentials of ER-Negative Cervical Adenocarcinoma via Regulation of Claudin-1 Expression.

Akimoto T, Takasawa A, Takasawa K, Aoyama T, Murata M, Osanai M, Saito T, Sawada N.
Neoplasia. 2018 Oct;20(10):1083–1093. doi: 10.1016/j.neo.2018.08.010. Epub 2018 Sep 15.
PMID: 30227306 Free PMC Article

26. Cytotoxicity of Clostridium perfringens enterotoxin depends on the conditions of claudin-4 in ovarian carcinoma cells.

Tanaka S, Aoyama T, Ogawa M, Takasawa A, Murata M, Osanai M, Saito T, Sawada N.
Exp Cell Res. 2018 Oct 1;371(1):278–286. doi: 10.1016/j.yexcr.2018.08.024. Epub 2018 Aug 22.
PMID: 30142326

27. Occludin induces microvillus formation via phosphorylation of ezrin in a mouse hepatic cell line.

Murata M, Osanai M, Takasawa A, Takasawa K, Aoyama T, Kawada Y, Yamamoto A, Ono Y, Hiratsuka Y, Kojima T, Sawada N.
Exp Cell Res. 2018 May 15;366(2):172–180. doi: 10.1016/j.yexcr.2018.03.018. Epub 2018 Mar 16.
PMID: 29555369

28. Non-alcoholic steatohepatitis induced by induction chemotherapy for pediatric acute lymphoblastic leukemia.

Yamamoto M, Hori T, Igarashi K, Iesato K, Saito M, Miyanishi K, Kikuchi N, Fujita H, Tsutsumi H.
Int J Hematol. 2018 Apr;107(4):390–391. doi: 10.1007/s12185-017-2377-z. Epub 2017 Nov 27. No abstract available.
PMID: 29181701

病理診断学

○主な研究内容

- 1 腫瘍の形態形成及び悪性度に関与する遺伝子異常の解明
- 2 病理診断上有用な免疫組織化学染色マーカーの検討
- 3 新しい分子病理診断法の導入
- 4 骨軟部腫瘍の組織学的悪性度及び予後因子の探索
- 5 悪性腫瘍の治療標的分子となる特異的遺伝子異常の解析

○Pub Med 掲載論文 (2017 年)

1. Multiple gastrointestinal stromal tumors involving extragastrointestinal sites in neurofibromatosis type 1.

Segawa K, Sugita S, Sugawara T, Ito Y, Tsujiwaki M, Fujita H, Ono Y, Kobayashi K, Hirobe M, Yoshida M, Hasegawa T.

Pathol Int. 2017 Dec 8. doi: 10.1111/pin.12620. [Epub ahead of print] No abstract available.

PMID:29222828

2. Re-evaluation of MIB-1 immunostaining for diagnosing hyalinizing trabecular tumour of the thyroid: semi-automated techniques with manual antigen retrieval are more accurate than fully automated techniques.

Takada N, Hirokawa M, Ohbayashi C, Nishikawa T, Itoh T, Imagawa N, Oyama T, Handa T, Hasegawa T, Sugita S, Murata A, Miyauchi A.

Endocr J. 2017 Dec 2. doi: 10.1507/endocrj.EJ17-0413. [Epub ahead of print]

PMID:29199205

3. Image analysis is an excellent tool for quantifying Ki-67 to predict the prognosis of gastrointestinal stromal tumor patients.

Sugita S, Hirano H, Hatanaka Y, Fujita H, Kubo T, Kikuchi N, Ito Y, Sugawara T, Segawa K, Hisai H, Yamashita K, Nobuoka T, Matsuno Y, Hasegawa T.

Pathol Int. 2017 Nov 13. doi: 10.1111/pin.12611. [Epub ahead of print]

PMID:29131458

4. Downregulation of miR-186 is associated with metastatic recurrence of gastrointestinal stromal tumors.

Niinumata T, Kai M, Kitajima H, Yamamoto E, Harada T, Maruyama R, Nobuoka T, Nishida T, Kanda T, Hasegawa T, Tokino T, Sugai T, Shinomura Y, Nakase H, Suzuki H.

Oncol Lett. 2017 Nov;14(5):5703-5710. doi: 10.3892/ol.2017.6911. Epub 2017 Sep 8.

PMID:29113198

5. Hemangioma of the rib showing a relatively high 18F-FDG uptake: a case report with a literature review.

Itabashi T, Emori M, Terashima Y, Hasegawa T, Shimizu J, Nagoya S, Yamashita T.
Acta Radiol Open. 2017 Sep 7;6(9):2058460117728416. doi: 10.1177/2058460117728416.
Collection 2017 Sep.
PMID: 28959457

6. Prognostic significance of the co-expression of EGFR and HER2 in adenocarcinoma of the uterine cervix.

Ueda A, Takasawa A, Akimoto T, Takasawa K, Aoyama T, Ino Y, Nojima M, Ono Y, Murata M, Osanai M, Hasegawa T, Saito T, Sawada N.
PLoS One. 2017 Aug 31;12(8):e0184123. doi: 10.1371/journal.pone.0184123. eCollection 2017.
PMID: 28859123

7. Elevated expression of JAM-A promotes neoplastic properties of lung adenocarcinoma.

Magara K, Takasawa A, Osanai M, Ota M, Tagami Y, Ono Y, Takasawa K, Murata M, Hirohashi Y, Miyajima M, Yamada G, Hasegawa T, Sawada N.
Cancer Sci. 2017 Nov;108(11):2306–2314. doi: 10.1111/cas.13385. Epub 2017 Sep 18.
PMID: 28837251

8. Loss of sorting nexin 5 stabilizes internalized growth factor receptors to promote thyroid cancer progression.

Jitsukawa S, Kamekura R, Kawata K, Ito F, Sato A, Matsumiya H, Nagaya T, Yamashita K, Kubo T, Kikuchi T, Sato N, Hasegawa T, Kiyonari H, Mukumoto Y, Takano KI, Himi T, Ichimiya S.
J Pathol. 2017 Nov;243(3):342–353. doi: 10.1002/path.4951.
PMID: 28771744

9. Diagnostic utility of automated SureFISH (Dako Omnis) in the diagnosis of musculoskeletal translocation-related sarcomas.

Sugita S, Aoyama T, Ito Y, Asanuma H, Sugawara T, Segawa K, Ito Y, Kikuchi N, Tsujiwaki M, Fujita H, Ono Y, Hasegawa T.
Pathol Int. 2017 Oct;67(10):510–513. doi: 10.1111/pin.12562. Epub 2017 Jul 22.
PMID: 28735509

10. Imprint cytology of clear cell sarcoma-like tumor of the gastrointestinal tract in the small intestine: A case report.

Kato T, Ichihara S, Gotoda H, Muraoka S, Kubo T, Sugita S, Hasegawa T.
Diagn Cytopathol. 2017 Jul 11. doi: 10.1002/dc.23786. [Epub ahead of print]
PMID: 28695686

11. [A Case of Dedifferentiated Liposarcoma of the Spermatic Cord].

Hodotsuka N, Nemoto K, Yanagi M, Hasegawa T, Kondo Y.
Hinyokika Kyo. 2017 Jun;63(6):251–254. doi: 10.14989/ActaUrolJap_63_6_251. Review. Japanese.

PMID:28694419

12. Ovarian high-grade endometrioid stromal sarcoma with YWHAE and NUTM2B rearrangements.

Kikuchi N, Sugita S, Nakanishi K, Sugawara T, Segawa K, Ito Y, Kubo T, Fujita H, Hirano H, Tanaka R, Saito T, Hasegawa T.

Pathol Int. 2017 Jun;67(6):327-329. doi: 10.1111/pin.12542. Epub 2017 May 15. No abstract available.

PMID: 28508463

13. Angiotensin-converting enzyme 2 is a potential therapeutic target for EGFR-mutant lung adenocarcinoma.

Yamaguchi M, Hirai S, Sumi T, Tanaka Y, Tada M, Nishii Y, Hasegawa T, Uchida H, Yamada G, Watanabe A, Takahashi H, Sakuma Y.

Biochem Biophys Res Commun. 2017 Jun 3;487(3):613-618. doi: 10.1016/j.bbrc.2017.04.102. Epub 2017 Apr 20.

PMID: 28433633

14. Phosphorylation of HSF1 at serine 326 residue is related to the maintenance of gynecologic cancer stem cells through expression of HSP27.

Yasuda K, Hirohashi Y, Mariya T, Murai A, Tabuchi Y, Kuroda T, Kusumoto H, Takaya A, Yamamoto E, Kubo T, Nakatsugawa M, Kanaseki T, Tsukahara T, Tamura Y, Hirano H, Hasegawa T, Saito T, Sato N, Torigoe T.

Oncotarget. 2017 May 9;8(19):31540-31553. doi: 10.18632/oncotarget.16361.

PMID: 28415561

15. Local tumor control and DNA-PK activity of peripheral blood lymphocytes in prostate cancer patients receiving radiotherapy.

Someya M, Hasegawa T, Horii M, Matsumoto Y, Nakata K, Masumori N, Sakata KI.

J Radiat Res. 2017 Mar 1;58(2):225-231. doi: 10.1093/jrr/rrw099.

PMID: 28399576

16. Mismatch Repair Protein Deficiency Is a Risk Factor for Aberrant Expression of HLA Class I Molecules: A Putative "Adaptive Immune Escape" Phenomenon.

Kubo T, Hirohashi Y, Matsuo K, Sonoda T, Sakamoto H, Furumura K, Tsukahara T, Kanaseki T, Nakatsugawa M, Hirano H, Furuhashi T, Takemasa I, Hasegawa T, Torigoe T.

Anticancer Res. 2017 Mar;37(3):1289-1295.

PMID: 28314294

17. Uterine epithelioid leiomyosarcoma with c-kit expression and YWHAE gene rearrangement: a case report of a diagnostic pitfall of uterine sarcoma.

Kubo T, Sugita S, Wada R, Kikuchi N, Iwasaki M, Ito Y, Sugawara T, Fujita H, Emori M, Tanaka R, Hirano H, Saito T, Hasegawa T.

Diagn Pathol. 2017 Mar 14;12(1):26. doi: 10.1186/s13000-017-0615-6.

PMID: 28288693

18. Practical use and utility of fluorescence in situ hybridization in the pathological diagnosis of soft tissue and bone tumors.

Sugita S, Hasegawa T.

J Orthop Sci. 2017 Jul;22(4):601–612. doi: 10.1016/j.jos.2017.02.004. Epub 2017 Mar 6.

PMID: 28274512

19. Brother of the regulator of the imprinted site (BORIS) variant subfamily 6 is a novel target of lung cancer stem-like cell immunotherapy.

Horibe R, Hirohashi Y, Asano T, Mariya T, Suzuki T, Takaya A, Saijo H, Shionoya Y, Kubo T, Nakatsugawa M, Kanaseki T, Tsukahara T, Watanabe K, Atsuyama E, Toji S, Hirano H, Hasegawa T, Takahashi H, Sato N, Torigoe T.

PLoS One. 2017 Mar 1;12(3):e0171460. doi: 10.1371/journal.pone.0171460. eCollection 2017.

PMID: 28248963

20. Cytological findings of langerhans cell sarcoma in a case of quintuple cancer.

Tabata S, Murata M, Takasawa A, Fukuda A, Ogasawara J, Koseki T, Nakano K, Segawa K, Morita R, Hasegawa T, Sawada N.

Diagn Cytopathol. 2017 May;45(5):441–445. doi: 10.1002/dc.23628. Epub 2017 Feb 24.

PMID: 28233936

21. NUTM2A–CIC fusion small round cell sarcoma: a genetically distinct variant of CIC–rearranged sarcoma.

Sugita S, Arai Y, Aoyama T, Asanuma H, Mukai W, Hama N, Emori M, Shibata T, Hasegawa T.

Hum Pathol. 2017 Jul;65:225–230. doi: 10.1016/j.humpath.2017.01.012. Epub 2017 Feb 8.

PMID: 28188754

22. MicroRNA–196b is an independent prognostic biomarker in patients with pancreatic cancer.

Kanno S, Noshio K, Ishigami K, Yamamoto I, Koide H, Kurihara H, Mitsuhashi K, Shitani M, Motoya M, Sasaki S, Tanuma T, Maguchi H, Hasegawa T, Kimura Y, Takemasa I, Shinomura Y, Nakase H.

Carcinogenesis. 2017 Apr 1;38(4):425–431. doi: 10.1093/carcin/bgx013.

PMID: 28186267

23. EZH2 expression is a prognostic biomarker in patients with colorectal cancer treated with anti–EGFR therapeutics.

Yamamoto I, Noshio K, Kanno S, Igarashi H, Kurihara H, Ishigami K, Ishiguro K, Mitsuhashi K, Maruyama R, Koide H, Okuda H, Hasegawa T, Sukawa Y, Okita K, Takemasa I, Yamamoto H, Shinomura Y, Nakase H.

Oncotarget. 2017 Mar 14;8(11):17810–17818. doi: 10.18632/oncotarget.14863.

PMID: 28147317

24. Hepatitis C virus reactivation due to antiemetic steroid therapy during treatment of hepatocellular carcinoma.

Kawano Y, Miyanishi K, Takahashi S, Kubo T, Ishikawa K, Sugita S, Takada K, Kobune M, Hasegawa T, Kato J.
J Infect Chemother. 2017 May;23(5):323–325. doi: 10.1016/j.jiac.2016.12.008. Epub 2017 Jan 18.
PMID: 28109738

25. Bone Flap Resorption after Cranioplasty in Pediatric Patients: Report of 2 Cases.

Yokoyama R, Mikami T, Noshiro S, Miyata K, Toyama K, Komatsu K, Kikuchi N, Hasegawa T, Mikuni N.
No Shinkei Geka. 2017 Jan;45(1):47–52. doi: 10.11477/mf.1436203448. Japanese.
PMID:28100862

26. A typical presentation of primary pulmonary epithelioid sarcoma misdiagnosed as non-small cell lung cancer.

Emori M, Tamakawa M, Kaya M, Takada K, Murase K, Fujita C, Sato S, Takahashi R, Hatanaka KC, Sugita S, Hirano H, Yamashita T, Hasegawa T.
Pathol Int. 2017 Apr;67(4):222–224. doi: 10.1111/pin.12503. Epub 2017 Jan 12. No abstract available.
PMID: 28078765

27. Fibroblastic foci, covered with alveolar epithelia exhibiting epithelial–mesenchymal transition, destroy alveolar septa by disrupting blood flow in idiopathic pulmonary fibrosis.

Yamaguchi M, Hirai S, Tanaka Y, Sumi T, Miyajima M, Mishina T, Yamada G, Otsuka M, Hasegawa T, Kojima T, Niki T, Watanabe A, Takahashi H, Sakuma Y.
Lab Invest. 2017 Mar;97(3):232–242. doi: 10.1038/labinvest.2016.135. Epub 2016 Dec 12.
PMID:27941755

28. Expression of Ku70 predicts results of radiotherapy in prostate cancer.

Hasegawa T, Someya M, Hori M, Matsumoto Y, Nakata K, Nojima M, Kitagawa M, Tsuchiya T, Masumori N, Hasegawa T, Sakata KI.
Strahlenther Onkol. 2017 Jan;193(1):29–37. doi: 10.1007/s00066-016-1023-7. Epub 2016 Jul 27.
PMID: 27465041

29. Influence of XRCC4 expression in esophageal cancer cells on the response to radiotherapy.

Hori M, Someya M, Matsumoto Y, Nakata K, Kitagawa M, Hasegawa T, Tsuchiya T, Fukushima Y, Gocho T, Sato Y, Ohnuma H, Kato J, Sugita S, Hasegawa T, Sakata KI.
Med Mol Morphol. 2017 Mar;50(1):25–33. Doi: 10.1007/s00795-016-0144-5. Epub 2016 Jun 23.

PMID: 27338590

30. Subcutaneous Nodule on the Right Palm of a Young Boy : A Quiz

Maeda, Takuya; Fujita, Yasuyuki; Imafuku, Keisuke; Nakazato, Shinichi; Hata, Hiroo; Nomura, Toshifumi; Mitsuhashi, Tomoko; Anan, Takashi; Hasegawa, Tadashi; Hamaoka, Shuji; Shimizu, Hiroshi

Acta dermato-venereologica, 97(9): 1150-1151

○その他論文 (2017)

1. 瀬川恵子、杉田真太郎、菅原太郎、伊藤夢美香、菊地謙成、平野博嗣、守田玲菜、中村裕之、長谷川匡
陰茎亀頭部に発生した solitary circumscribed neuroma の1例
診断病理 2017 年. 34:24-28
2. 菅原太郎、杉田真太郎、平野博嗣、藤田裕美、瀬川恵子、伊藤夢美香、菊地謙成、久保輝文、田中綾一、長谷川匡
PEComa 様形態を示した卵巣硬化性間質性腫瘍の1例
診断病理 2017 年. 34:29-33
3. 藤田裕美
【腎生検・病理診断・臨床と病理の架け橋】(第2章) 臨床医が知っておくべき腎生検標本の作製と観察の実際 蛍光抗体法の標本の作製と観察 凍結ブロックの作製、切片作製のポイント(解説/特集)
腎と透析 2017 年. 82:85-90
4. 山口裕、藤田裕美
尿細管間質性腎炎
腎生検病理アトラス 改訂版:東京医学社;2017 年. pp290-295
5. 東恭悟(分担執筆)
病理検査技術教本(JAMT 技術標本シリーズ)
丸善出版. 東京. 2017 年

病理診断学

○主な研究内容

- 1 腫瘍の形態形成及び悪性度に関与する遺伝子異常の解明
- 2 病理診断上有用な免疫組織化学染色マーカーの検討
- 3 新しい分子病理診断法の導入
- 4 骨軟部腫瘍の組織学的悪性度及び予後因子の探索
- 5 悪性腫瘍の治療標的分子となる特異的遺伝子異常の解析

○Pub Med 掲載論文 (2016 年)

1. Treatment Outcomes of Adult-Onset Ewing Sarcoma: A Single-Center Retrospective Study of Five Cases].
Murase K, Takada K, Kamihara Y, Usami M, Yoshida M, Tatekoshi A, Hashimoto A, Arihara Y, Hayasaka N, Miura S, Iyama S, Sato T, Sato Y, Miyanishi K, Kobune M, Emori M, Kaya M, Yamashita T, Sugita S, Hasegawa T, Kato J. *Gan To Kagaku Ryoho*. 2016 Aug;43(8):1015-8. Japanese.
PMID: 27539047
2. Pleomorphic Xanthoastrocytoma with Anaplastic Features in the Tectal Region in a Young Adult Patient: A Case Report.
Suzuki Y, Akiyama Y, Kimura Y, Sugita S, Hasegawa T, Mikuni N.
World Neurosurg. 2016 Oct;94:580.e11-580.e15. doi: 10.1016/j.wneu.2016.07.110.
PMID: 27521728
3. Diagnostic utility of FOSB immunohistochemistry in pseudomyogenic hemangioendothelioma and its histological mimics.
Sugita S, Hirano H, Kikuchi N, Kubo T, Asanuma H, Aoyama T, Emori M, Hasegawa T.
Diagn Pathol. 2016 Aug 11;11(1):75. doi: 10.1186/s13000-016-0530-2.
PMID: 27515856 Free PMC Article
4. Intraneural Nodular Fasciitis in a Child: A Case Report and Review of the Literature.
Kanaya K, Iba K, Yamashita T, Wada T, Hasegawa T.
J Hand Surg Am. 2016 Sep;41(9):e299-302. doi: 10.1016/j.jhssa.2016.06.013.
PMID: 27469937
5. Expression of Ku70 predicts results of radiotherapy in prostate cancer.
Hasegawa T, Someya M, Hori M, Matsumoto Y, Nakata K, Nojima M, Kitagawa M, Tsuchiya T, Masumori N, Hasegawa T, Sakata KI.
Strahlenther Onkol. 2016 Jul 27. [Epub ahead of print]
PMID: 27465041

6. Influence of XRCC4 expression in esophageal cancer cells on the response to radiotherapy.
Hori M, Someya M, Matsumoto Y, Nakata K, Kitagawa M, Hasegawa T, Tsuchiya T, Fukushima Y, Gocho T, Sato Y, Ohnuma H, Kato J, Sugita S, Hasegawa T, Sakata KI.
Med Mol Morphol. 2016 Jun 23. [Epub ahead of print]
PMID: 27338590
7. SOX2 and ALDH1 as Predictors of Operable Breast Cancer.
Shima H, Kutomi G, Satomi F, Maeda H, Hirohashi Y, Hasegawa T, Mori M, Torigoe T, Takemasa I.
Anticancer Res. 2016 Jun;36(6):2945-53.
PMID: 27272809
8. Diagnosis of desmoplastic small-round-cell tumor by cytogenetic analysis: a case report.
Wakahashi S, Sudo T, Ichida K, Sugita S, Hasegawa T, Nagao S, Yamaguchi S, Sakuma T, Yamada H.
Clin Case Rep. 2016 Apr 15;4(5):520-3. doi: 10.1002/ccr3.558.
PMID: 27190620 Free PMC Article
9. Prospective evaluation of Ki-67 system in histological grading of soft tissue sarcomas in the Japan Clinical Oncology Group Study JCOG0304.
Tanaka K, Hasegawa T, Nojima T, Oda Y, Mizusawa J, Fukuda H, Iwamoto Y.
World J Surg Oncol. 2016 Apr 18;14:110. doi: 10.1186/s12957-016-0869-6.
PMID: 27091124 Free PMC Article
10. Diagnostic use of fluorescence in situ hybridization in expert review in a phase 2 study of trabectedin monotherapy in patients with advanced, translocation-related sarcoma.
Sugita S, Asanuma H, Hasegawa T.
Diagn Pathol. 2016 Apr 12;11:37. doi: 10.1186/s13000-016-0486-2.
PMID: 27068820 Free PMC Article
11. Randomized trial comparing a side-port needle and standard needle for EUS-guided histology of pancreatic lesions.
Ishiwatari H, Hayashi T, Kawakami H, Isayama H, Hisai H, Itoi T, Ono M, Kawakubo K, Yamamoto N, Tanaka M, Itokawa F, Oshiro H, Sonoda T, Hasegawa T; Japan EZ Port Study Group..
Gastrointest Endosc. 2016 Oct;84(4):670-8. doi: 10.1016/j.gie.2016.03.1329.
PMID: 26995688
12. MAPK13 is preferentially expressed in gynecological cancer stem cells and has a role in the tumor-initiation.
Yasuda K, Hirohashi Y, Kuroda T, Takaya A, Kubo T, Kanaseki T, Tsukahara T, Hasegawa T, Saito T, Sato N, Torigoe T.
Biochem Biophys Res Commun. 2016 Apr 15;472(4):643-7. doi: 10.1016/j.bbrc.2016.03.004.
PMID: 26969274
13. Malignant peripheral nerve sheath tumor coexisting with congenital melanocytic nevus in an elderly man.
Park JK, Sugita S, Soma T, Yamashiro K, Hasegawa T.
Pathol Int. 2016 May;66(5):309-10. doi: 10.1111/pin.12392. No abstract available.
PMID: 26897251

14. Primary dumbbell-shaped epidural myxoid liposarcoma of the thoracic spine: A case report and review of the literature.

Kaneuchi Y, Hakozaki M, Yamada H, Tajino T, Watanabe K, Otani K, Hojo H, Hasegawa T, Konno S. *Oncol Lett.* 2016 Feb;11(2):1421-1424.

PMID: 26893754 Free PMC Article

15. The relationship between EZH2 expression and microRNA-31 in colorectal cancer and the role in evolution of the serrated pathway.

Kurihara H, Maruyama R, Ishiguro K, Kanno S, Yamamoto I, Ishigami K, Mitsunashi K, Igarashi H, Ito M, Tanuma T, Sukawa Y, Okita K, Hasegawa T, Imai K, Yamamoto H, Shinomura Y, Nosho K.

Oncotarget. 2016 Mar 15;7(11):12704-17. doi: 10.18632/oncotarget.7260.

PMID: 26871294 Free PMC Article

16. Influence of Ku86 and XRCC4 expression in uterine cervical cancer on the response to preoperative radiotherapy.

Takada Y, Someya M, Matsumoto Y, Satoh M, Nakata K, Hori M, Saito M, Hirokawa N, Tateoka K, Teramoto M, Saito T, Hasegawa T, Sakata KI.

Med Mol Morphol. 2016 Feb 11. [Epub ahead of print]

PMID: 26867665

17. [Neurolymphomatosis of the sciatic nerve diagnosed by FDG-PET/CT].

Usami M, Murase K, Takada K, Iijima K, Yoshida M, Tatekoshi A, Hashimoto A, Iyama S, Sato T, Kobune M, Takimoto R, Kaya M, Yamashita T, Morita R, Hasegawa T, Kato J.

Rinsho Ketsueki. 2016 Jan;57(1):52-5. doi: 10.11406/rinketsu.57.52. Japanese.

PMID: 26861105

18. Brother of the regulator of the imprinted site (BORIS) variant subfamily 6 is involved in cervical cancer stemness and can be a target of immunotherapy.

Asano T, Hirohashi Y, Torigoe T, Mariya T, Horibe R, Kuroda T, Tabuchi Y, Saijo H, Yasuda K, Mizuuchi M, Takahashi A, Asanuma H, Hasegawa T, Saito T, Sato N.

Oncotarget. 2016 Mar 8;7(10):11223-37. doi: 10.18632/oncotarget.7165.

PMID: 26849232 Free PMC Article

19. Analysis of the expression and localization of tight junction transmembrane proteins, claudin-1, -4, -7, occludin and JAM-A, in human cervical adenocarcinoma.

Akimoto T, Takasawa A, Murata M, Kojima Y, Takasawa K, Nojima M, Aoyama T, Hiratsuka Y, Ono Y, Tanaka S, Osanai M, Hasegawa T, Saito T, Sawada N.

Histol Histopathol. 2016 Aug;31(8):921-31. doi: 10.14670/HH-11-729.

PMID: 26847087

20. Prolyl isomerase Pin1 promotes survival in EGFR-mutant lung adenocarcinoma cells with an epithelial-mesenchymal transition phenotype.

Sakuma Y, Nishikiori H, Hirai S, Yamaguchi M, Yamada G, Watanabe A, Hasegawa T, Kojima T, Niki T, Takahashi H.

Lab Invest. 2016 Apr;96(4):391-8. doi: 10.1038/labinvest.2015.155.

PMID: 26752745

21. Primary pulmonary Ewing sarcoma.

Hirano H, Maeda H, Takeuchi Y, Ose N, Fujita H, Sugita S, Hasegawa T.

Pathol Int. 2016 Apr;66(4):239-41. doi: 10.1111/pin.12372. No abstract available.

PMID: 26698372

22. Clinicopathological characteristics of Xp11.2 translocation renal cell carcinoma in adolescents and adults: Diagnosis using immunostaining of transcription factor E3 and fluorescence in situ hybridization analysis.

Hirobe M, Masumori N, Tanaka T, Kitamura H, Tonooka A, Hasegawa T, Tsukamoto T. Int J Urol. 2016 Feb;23(2):140-5. doi: 10.1111/iju.13007.

PMID: 26563505

23. BAK is a predictive and prognostic biomarker for the therapeutic effect of docetaxel treatment in patients with advanced gastric cancer.

Kubo T, Kawano Y, Himuro N, Sugita S, Sato Y, Ishikawa K, Takada K, Murase K, Miyanishi K, Sato T, Takimoto R, Kobune M, Nobuoka T, Hirata K, Takayama T, Mori M, Hasegawa T, Kato J.

Gastric Cancer. 2016 Jul;19(3):827-38. doi: 10.1007/s10120-015-0557-1.

PMID: 26486506

24. Angiomyxomatous tumor of the falx cerebri.

Sugita S, Obata M, Takebayashi S, Kikuchi T, Hasegawa T.

Pathol Int. 2016 Jan;66(1):50-1. doi: 10.1111/pin.12329. No abstract available.

PMID: 26146867

25. Primary pulmonary Ewing sarcoma.

Hirano H, Maeda H, Takeuchi Y, Ose N, Fujita H, Sugita S, Hasegawa T.

Pathol Int. 2016 Apr;66(4):239-41. doi: 10.1111/pin.12372. No abstract available.

PMID: 26698372

26. Diagnosis of extraskeletal myxoid chondrosarcoma in the thigh using EWSR1-NR4A3 gene fusion: a case report.

Kobayashi H, Kikuta K, Sekita T, Susa M, Nishimoto K, Sasaki A, Kameyama K, Sugita S, Hasegawa T, Nakamura M, Matsumoto M, Morioka H.

J Med Case Rep. 2016 Nov 10;10(1):321.

PMID: 27832806 Free PMC Article

27. An adolescent case of familial hyperparathyroidism with a germline frameshift mutation of the CDC73 gene.

Takeuchi T, Yoto Y, Tsugawa T, Kamasaki H, Kondo A, Ogino J, Hasegawa T, Yama N, Anan S, Uchino S, Ishikawa A, Sakurai A, Tsutsumi H.

Mod Rheumatol 14:1-4,2016.

28. Erdheim-Chester Disease Involving the Central Nervous System with the Unique Appearance of a Coated Vertebral Artery.

Suzuki H, Wanibuchi M, Komatsu K, Akiyama Y, Mikami T, Sugita S, Hasegawa T, Kaya M, Takada K, Mikuni N

NMC Case Report journal 3: 125-128,2016.

29. Olfactory Receptor Family 7 Subfamily C Member 1 Is a Novel Marker of Colon Cancer-Initiating Cells and Is a Potent Target of Immunotherapy.

Morita R, Hirohashi Y, Torigoe T, Ito-Inoda S, Takahashi A, Mariya T, Asanuma H, Tamura Y, Tsukahara T, Kanaseki T, Kubo T, Kutomi G, Mizuguchi T, Terui T, Ishitani K, Hashino S, Kondo T, Minagawa N, Takahashi N, Taketomi A, Todo S, Asaki M, Sato N, Clin Cancer Res 22:3298-3309, 2016.

30. DNA methyltransferase-3 like protein expression in various histological types of testicular germ cell tumor.

Matsuoka T, Kawai K, Ando S, Sugita S, Kandori S, Kojima T, Miyazaki J, Nishiyama H, Jpn J Clin Oncol 46:475-81, 2016

○その他論文 (2016年)

1. 乳腺・甲状腺穿刺吸引細胞診における LBC への応用 北海道臨床細胞学会会報
浅沼広子、東恭悟、近藤啓、木戸朋美、平野博嗣、杉田真太郎、藤田裕美、長谷川匡、
2016年 25:10-14
2. FDG-PET/CT が診断に有用であった座骨神経原発 neurolymphomatosis. 宇佐美信、村瀬和幸、高
田弘一、飯島一飛、吉田正宏、舘越鮎美、橋本亜香利、井山諭、
佐藤勉、小船雅義、瀧本理修、加谷光規、山下敏彦、守田玲菜、長谷川匡、加藤淳二
臨床血液 2016年 57:52-55
3. 山口晃良、河中真紀、中村久美子、西原当裕、福永涉、吉田康彦、松下一行、山本泰子、平野
博嗣、田野信雄 胃横行結腸瘻を形成した胃癌の1例
兵庫医科大学医学会雑誌 2016年 40:51-56
4. 今月の症例 低悪性度粘液性嚢胞腺癌 磯田拓郎、小山奈緒美、山直也、小野寺麻希、小野寺
耕一、畠中正光、桧山佳樹、平野博嗣
臨床放射線 2016年 1069-1072
5. 平野博嗣、長谷川匡 【特集】消化管 I 上部消化管、消化管間質腫瘍 病理と臨床 2016
年 34:968-973
6. 杉田真太郎、長谷川匡 骨腫瘍の頻度、年齢、発生部位 野島孝之、小田義直編 腫瘍病理鑑
別診断アトラス骨腫瘍 東京：文光堂；2016年 pp5-9
7. 杉田真太郎、長谷川匡 良性軟骨形成性腫瘍 野島孝之、小田義直編 脳腫瘍病理鑑別診断アト
ラス骨腫瘍 東京：文光堂；2016年 pp14-22
8. 杉田真太郎、長谷川匡 特殊型軟骨肉腫 野島孝之、小田義直編 脳腫瘍病理鑑別診断アトラス
骨腫瘍 東京：文光堂；2016年 pp39-59
9. 杉田真太郎、長谷川匡 新しい疾患単位 偽性筋原性血管内皮腫と軟部血管線維腫
吉田朗彦、元井享編 病理と臨床 東京：文光堂；2016年 pp619-624
10. 当院における成人発症 Ewing 肉腫 5 例の治療経験
村瀬和幸、高田弘一、神原悠輔、宇佐美信、吉田正宏、舘越鮎美、橋本亜香利、在原洋平、早
坂尚貴。三浦翔吾、井山諭、佐藤勉、佐藤康史、宮西浩嗣、小船雅義、江森誠人、加谷光規
山下敏彦、杉田真太郎、長谷川匡、加藤淳二

癌と化学療法 2016年 43:1015-1018

11. HER2 の免疫染色の解釈は正しくできているのか？－茨城県での評価結果－

南優子、飯島達生、稲留征典、大谷明夫、澁谷誠、杉田真太郎、鈴木恵子、野口雅之、
乳癌の臨床 2016年 31:297-305

12. 成人男性に発症した眼窩内原発の Ewing 肉腫 1 例 佐藤圭悟、平岡美紀、橋本雅人、山下建、
杉田真太郎、長谷川匡、村瀬和幸、大黒浩

臨床眼科 2016年 70:1773-1778

病理診断学

○主な研究内容

- 1 腫瘍の形態形成及び悪性度に関与する遺伝子異常の解明
- 2 病理診断上有用な免疫組織化学染色マーカーの検討
- 3 新しい分子病理診断法の導入
- 4 骨軟部腫瘍の組織学的悪性度及び予後因子の探索
- 5 悪性腫瘍の治療標的分子となる特異的遺伝子異常の解析

○Pub Med 掲載論文 (2015 年)

1. Isosaka M, Niinuma T, Nojima M, Kai M, Yamamoto E, Maruyama R, Nobuoka T, Nishida T, Kanda T, Taguchi T, Hasegawa T, Tokino T, Hirata K, Suzuki H, Shinomura Y.
A Screen for Epigenetically Silenced microRNA Genes in Gastrointestinal Stromal Tumors.
PLoS One. 2015 Jul 27;10(7):e0133754. doi: 10.1371/journal.pone.0133754. eCollection 2015.
2. Sugita S, Obata M, Takebayashi S, Kikuchi T, Hasegawa T.
Angiomyxomatous tumor of the falx cerebri.
Pathol Int. 2015 Jul 6. doi: 10.1111/pin.12329. [Epub ahead of print] No abstract available.
3. Satoh H, Takayashiki N, Shiozawa T, Miyazaki K, Ohara G, Kagohashi K, Kurishima K, Sugita S, Aoyama T, Hasegawa T, Hizawa N.
Recurrent pulmonary synovial sarcoma effectively treated with amrubicin: A case report.
Exp Ther Med. 2015 May;9(5):1947-1949. Epub 2015 Feb 24.
4. Noshiro S, Wanibuchi M, Akiyama Y, Okawa S, Ohtaki S, Sugino T, Iihoshi S, Mikami T, Sugita S, Hasegawa T, Mikuni N.
IgG4-related disease initially presented as an orbital mass lesion mimicking optic nerve sheath meningioma.
Brain Tumor Pathol. 2015 Jun 3. [Epub ahead of print]
5. Emori M, Tsukahara T, Murata K, Sugita S, Sonoda T, Kaya M, Soma T, Sasaki M, Nagoya S, Hasegawa T, Wada T, Sato N, Yamashita T.
Prognostic impact of CD109 expression in myxofibrosarcoma.
J Surg Oncol. 2015 Jun;111(8):975-9. doi: 10.1002/jso.23934. Epub 2015 May 28.
6. Abe Y, Kawakami H, Oba K, Hayashi T, Yasuda I, Mukai T, Isayama H, Ishiwatari H, Doi S, Nakashima M, Yamamoto N, Kuwatani M, Mitsunashi T, Hasegawa T, Hirose Y, Yamada T, Tanaka M, Sakamoto N; Japan EUS-FNA Stylet Study Group.
Effect of a stylet on a histological specimen in EUS-guided fine-needle tissue acquisition by using 22-gauge needles: a multicenter, prospective, randomized, controlled trial.
Gastrointest Endosc. 2015 May 1. pii: S0016-5107(15)02121-5. doi: 10.1016/j.gie.2015.03.1898.
[Epub ahead of print]
7. Fukuda A, Tagami Y, Takasawa A, Sugita S, Kuramoto R, Imai S, Hasegawa T, Iizuka K.
Nasopharyngeal hyalinizing clear cell carcinoma with EWSR1 rearrangements diagnosed by fluorescence in situ hybridization.
Auris Nasus Larynx. 2015 Oct;42(5):412-5. doi: 10.1016/j.anl.2015.02.015. Epub 2015 Mar 21.

8. Hiroyuki M, Ogino J, Takahashi A, Hasegawa T, Wakabayashi T.
Rhabdoid glioblastoma: an aggressive variety of astrocytic tumor.
Nagoya J Med Sci. 2015 Feb;77(1-2):321-8.
9. Mitsuhashi K, Nosho K, Sukawa Y, Matsunaga Y, Ito M, Kurihara H, Kanno S, Igarashi H, Naito T, Adachi Y, Tachibana M, Tanuma T, Maguchi H, Shinohara T, Hasegawa T, Imamura M, Kimura Y, Hirata K, Maruyama R, Suzuki H, Imai K, Yamamoto H, Shinomura Y.
Association of Fusobacterium species in pancreatic cancer tissues with molecular features and prognosis.
Oncotarget. 2015 Mar 30;6(9):7209-20.
10. Kawai A, Araki N, Sugiura H, Ueda T, Yonemoto T, Takahashi M, Morioka H, Hiraga H, Hiruma T, Kunisada T, Matsumine A, Tanase T, Hasegawa T, Takahashi S.
Trabectedin monotherapy after standard chemotherapy versus best supportive care in patients with advanced, translocation-related sarcoma: a randomised, open-label, phase 2 study.
Lancet Oncol. 2015 Apr;16(4):406-16. doi: 10.1016/S1470-2045(15)70098-7. Epub 2015 Mar 18.
11. Ito M, Kanno S, Nosho K, Sukawa Y, Mitsuhashi K, Kurihara H, Igarashi H, Takahashi T, Tachibana M, Takahashi H, Yoshii S, Takenouchi T, Hasegawa T, Okita K, Hirata K, Maruyama R, Suzuki H, Imai K, Yamamoto H, Shinomura Y.
Association of Fusobacterium nucleatum with clinical and molecular features in colorectal serrated pathway.
Int J Cancer. 2015 Sep 15;137(6):1258-68. doi: 10.1002/ijc.29488. Epub 2015 Mar 13.
12. Nishii Y, Yamaguchi M, Kimura Y, Hasegawa T, Aburatani H, Uchida H, Hirata K, Sakuma Y.
A newly developed anti-Mucin 13 monoclonal antibody targets pancreatic ductal adenocarcinoma cells.
Int J Oncol. 2015 Apr;46(4):1781-7. doi: 10.3892/ijo.2015.2880. Epub 2015 Feb 5.
13. Yanagihara N, Kobayashi D, Kuribayashi K, Tanaka M, Hasegawa T, Watanabe N.
Significance of SALL4 as a drug-resistant factor in lung cancer.
Int J Oncol. 2015 Apr;46(4):1527-34. doi: 10.3892/ijo.2015.2866. Epub 2015 Feb 3.
14. Nosho K, Igarashi H, Ito M, Mitsuhashi K, Kurihara H, Kanno S, Yoshii S, Mikami M, Takahashi H, Kusumi T, Hosokawa M, Sukawa Y, Adachi Y, Hasegawa T, Okita K, Hirata K, Maruyama R, Suzuki H, Imai K, Yamamoto H, Shinomura Y.
Clinicopathological and molecular characteristics of serrated lesions in Japanese elderly patients.
Digestion. 2015;91(1):57-63. doi: 10.1159/000368820. Epub 2015 Jan 20.
15. Keira Y, Takasawa A, Murata M, Nojima M, Takasawa K, Ogino J, Higashiura Y, Sasaki A, Kimura Y, Mizuguchi T, Tanaka S, Hirata K, Sawada N, Hasegawa T.
An immunohistochemical marker panel including claudin-18, maspin, and p53 improves diagnostic accuracy of bile duct neoplasms in surgical and presurgical biopsy specimens.
Virchows Arch. 2015 Mar;466(3):265-77. doi: 10.1007/s00428-014-1705-4. Epub 2014 Dec 14.
16. Sakurada A, Hayashi T, Ono M, Ishiwatari H, Ogino J, Kimura Y, Kato J.
A case of curatively resected gastric wall implantation of pancreatic cancer caused by endoscopic ultrasound-guided fine-needle aspiration.
Endoscopy. 2015;47 Suppl 1 UCTN:E198-9. doi: 10.1055/s-0034-1377592. Epub 2015 Jun 10. No abstract available.

17. Hirano H, Maeda H, Takeuchi Y, Ose N, Fujita H, Sugita S, Hasegawa T.
Primary pulmonary Ewing sarcoma.
Pathol Int. 2015 Dec 24. doi: 10.1111/pin.12372. [Epub ahead of print] No abstract available.
18. Hirobe M, Masumori N, Tanaka T, Kitamura H, Tonooka A, Hasegawa T, Tsukamoto T.
Clinicopathological characteristics of Xp11.2 translocation renal cell carcinoma in adolescents and adults: Diagnosis using immunostaining of transcription factor E3 and fluorescence in situ hybridization analysis.
Int J Urol. 2015 Nov 13. doi: 10.1111/iju.13007. [Epub ahead of print]
19. Ishii M, Kimura Y, Sugita S, Imamura M, Ito T, Nobuoka T, Meguro M, Hasegawa T, Mizuguchi T, Hirata K.
Surgical and oncological impact of main pancreatic duct spread in invasive ductal adenocarcinoma: A clinicopathological study of 184 resected cases.
Pancreatol. 2015 Nov-Dec;15(6):681-7. doi: 10.1016/j.pan.2015.09.017. Epub 2015 Oct 20.
20. Takeuchi T, Yoto Y, Tsugawa T, Kamasaki H, Kondo A, Ogino J, Hasegawa T, Yama N, Anan S, Uchino S, Ishikawa A, Sakurai A, Tsutsumi H.
An adolescent case of familial hyperparathyroidism with a germline frameshift mutation of the CDC73 gene.
Clin Pediatr Endocrinol. 2015 Oct;24(4):185-9. doi: 10.1297/cpe.24.185. Epub 2015 Oct 24.
21. Kubo T, Kawano Y, Himuro N, Sugita S, Sato Y, Ishikawa K, Takada K, Murase K, Miyanishi K, Sato T, Takimoto R, Kobune M, Nobuoka T, Hirata K, Takayama T, Mori M, Hasegawa T, Kato J.
BAK is a predictive and prognostic biomarker for the therapeutic effect of docetaxel treatment in patients with advanced gastric cancer.
Gastric Cancer. 2015 Oct 20. [Epub ahead of print]

○その他論文 (2015 年)

1. Fumito Tamura, Yutaka Kawano, Koji Miyanishi, Tomohiro Kubo, Yusuke Kamihara, Yutaka Okagawa, Kazuma Ishikawa, Kohichi Takada, Tsuyoshi Hayashi, Tsutomu Sato, Yasushi Sato, Masayoshi Kobune, Rishu Takimoto, Masaki Kawamoto, Makoto Meguro, Toru Mizuguchi, Jiro Ogino, Tadashi Hasegawa, Norihide Yoneda, Motoko Sasaki, Junji Kato.
Multiple hepatocellular adenomas: a case report.
Kanzo. 2015, Vol.56, No.11, p.584.
2. Takafumi Nakagaki, Kazuhiro Ogita, Masato Abe, Hironari Deharia, Akihiro Miyazaki, Tadashi Hasegawa, Takashi Tokinod, Hiroyoshi Hiratsuka,
Low-grade mucoepidermoid carcinoma with regional lymph node metastasis: A case report and genetic review of criteria for grading.
Available online 10 October 2015.
3. Yuto Watanabe, Mitsunori Kaya, Mikito Sasaki, Masato Emori, Yasutaka Murahashi, Emi Mizushima, Tamotsu Souma, Shintaro Sugita, Tadashi Hasegawa, Toshihiko Yamashita.
Experience using denosumab for lung metastases of giant cell tumor of bone.
European Orthopaedics and Traumatology. September 2015, Volume 6, Issue 3, pp 239-241

- 4 . Toshifumi Hoki, Koji Miyanishi, Yutaka Kawano, Shota Yamada, Kohei Harada, Masahiro Hirakawa, Fumito Tamura, Kazuma Ishikawa, Kohichi Takada, Tsutomu Sato, Yasushi Sato, Rishu Takimoto, Masayoshi Kobune, Tadashi Hasegawa, Junji Kato.
A long-term survival case of hepatic epithelioid hemangioendothelioma with lung metastases treated with recombinant interleukin-2
Kanzo.07/2015; 56(7):356-365.

- 5 . Hirotoishi Ishiwatari, Tsuyoshi Hayashi, Hiroshi Kawakami, Hiroyuki Isayama, Takao Itoi, Hiroyuki Hisai, Michihiro Ono, Yoko Abe, Natsuyo Yamamoto, Fumihide Itokawa, Tadashi Hasegawa
Sa1405 A Prospective Randomized Trial Comparing the 22-Gauge Needle With and Without a Side Port for Endoscopic Ultrasound Fine Needle Aspiration of Solid Pancreatic Mass Lesions.
Gastrointestinal Endoscopy. Volume 81, Issue 5, Supplement, May 2015, Pages AB201

- 6 . Yasutoshi KIMURA, Masafumi IMAMURA, Tatsuya ITOH, Junji KATO, Tadashi HASEGAWA, Koichi HIRATA.
Case Studies of Locally Advanced or Initially Resection-ineligible Biliary Tract Carcinoma Treated by Salvage Surgeries following Definitive Chemoradiation Therapies.
Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)
Vol. 76 (2015) No. 7 p. 1553-1561

- 7 . Tsuyoshi HAYASHI, Michihiro ONO, Hirotoishi ISHIWATARI, Naoki UEMURA, Jiro OGINO, Tadashi HASEGAWA, Junji KATO.
LATEST METHODS AND RAPID ON-SITE EVALUATION DURING ENDOSCOPIC ULTRASOUND-GUIDED FINE NEEDLE ASPIRATION.
GASTROENTEROLOGICAL ENDOSCOPY. Vol. 57 (2015) No. 1 p. 54-65

病理診断学

○主な研究内容

- 1 腫瘍の形態形成及び悪性度に関与する遺伝子異常の解明
- 2 病理診断上有用な免疫組織化学染色マーカーの検討
- 3 新しい分子病理診断法の導入
- 4 骨軟部腫瘍の組織学的悪性度及び予後因子の探索
- 5 悪性腫瘍の治療標的分子となる特異的遺伝子異常の解析

○Pub Med 掲載論文 (2014 年)

1. Keira Y, Takasawa A, Murata M, Nojima M, Takasawa K, Ogino J, Higashiura Y, Sasaki A, Kimura Y, Mizuguchi T, Tanaka S, Hirata K, Sawada N, Hasegawa T.
An immunohistochemical marker panel including claudin-18, maspin, and p53 improves diagnostic accuracy of bile duct neoplasms in surgical and presurgical biopsy specimens.
Virchows Arch. 2014 Dec 14. [Epub ahead of print]
2. Yasuda K, Torigoe T, Mariya T, Asano T, Kuroda T, Matsuzaki J, Ikeda K, Yamauchi M, Emori M, Asanuma H, Hasegawa T, Saito T, Hirohashi Y, Sato N.
Fibroblasts induce expression of FGF4 in ovarian cancer stem-like cells/cancer-initiating cells and upregulate their tumor initiation capacity.
Lab Invest. 2014 Dec;94(12):1355-69. doi: 10.1038/labinvest.2014.122. Epub 2014 Oct 20.
3. Shima H, Kutomi G, Satomi F, Maeda H, Takamaru T, Kameshima H, Omura T, Mori M, Hatakenaka M, Hasegawa T, Hirata K.
Risk of node metastasis of sentinel lymph nodes detected in level II/III of the axilla by single-photon emission computed tomography/computed tomography.
Exp Ther Med. 2014 Nov;8(5):1447-1452. Epub 2014 Sep 15.
4. Horiguchi H, Takada K, Kamihara Y, Iyata S, Iyama S, Sato T, Hayashi T, Miyanishi K, Sato Y, Takimoto R, Kobune M, Kobayashi K, Hirayama Y, Masumori N, Hasegawa T, Kato J.
Radiation-induced leiomyosarcoma of the prostate after brachytherapy for prostatic adenocarcinoma.
Case Rep Oncol. 2014 Aug 16;7(2):565-70. doi: 10.1159/000366294. eCollection 2014.
5. Takahashi A, Nakayama R, Ishibashi N, Doi A, Ichinohe R, Ikuyo Y, Takahashi T, Marui S, Yasuhara K, Nakamura T, Sugita S, Sakamoto H, Yoshida T, Hasegawa T, Takahashi H.
Analysis of gene expression profiles of soft tissue sarcoma using a combination of knowledge-based filtering with integration of multiple statistics.
PLoS One. 2014 Sep 4;9(9):e106801. doi: 10.1371/journal.pone.0106801. eCollection 2014.
6. Tsukahara T, Emori M, Murata K, Hirano T, Muroi N, Kyono M, Toji S, Watanabe K, Torigoe T, Kochin V, Asanuma H, Matsumiya H, Yamashita K, Himi T, Ichimiya S, Wada T, Yamashita T, Hasegawa T, Sato N.
Specific targeting of a naturally presented osteosarcoma antigen, papillomavirus binding factor Peptide, using an artificial monoclonal antibody.
J Biol Chem. 2014 Aug 8;289(32):22035-47. doi: 10.1074/jbc.M114.568725. Epub 2014 Jun 24.

7. Sugita S¹, Aoyama T¹, Kondo K¹, Keira Y¹, Ogino J¹, Nakanishi K¹, Kaya M², Emori M², Tsukahara T³, Nakajima H⁴, Takagi M⁵, Hasegawa T⁶.
Diagnostic utility of NCOA2 fluorescence in situ hybridization and Stat6 immunohistochemistry staining for soft tissue angiofibroma and morphologically similar fibrovascular tumors.
Hum Pathol. 2014 Aug;45(8):1588-96. doi: 10.1016/j.humpath.2013.12.022. Epub 2014 Apr 18.
8. Nosho K¹, Igarashi H, Nojima M, Ito M, Maruyama R, Yoshii S, Naito T, Sukawa Y, Mikami M, Sumioka W, Yamamoto E, Kurokawa S, Adachi Y, Takahashi H, Okuda H, Kusumi T, Hosokawa M, Fujita M, Hasegawa T, Okita K, Hirata K, Suzuki H, Yamamoto H, Shinomura Y.
Association of microRNA-31 with BRAF mutation, colorectal cancer survival and serrated pathway.
Carcinogenesis. 2014 Apr;35(4):776-83. doi: 10.1093/carcin/bgt374. Epub 2013 Nov 15.
9. Sugita S¹, Arai Y, Tonooka A, Hama N, Totoki Y, Fujii T, Aoyama T, Asanuma H, Tsukahara T, Kaya M, Shibata T, Hasegawa T.
A novel CIC-FOXO4 gene fusion in undifferentiated small round cell sarcoma: a genetically distinct variant of Ewing-like sarcoma.
Am J Surg Pathol. 2014 Nov;38(11):1571-6. doi: 10.1097/PAS.0000000000000286.
10. Igarashi H, Kurihara H, Mitsuhashi K, Ito M, Okuda H, Kanno S, Naito T, Yoshii S, Takahashi H, Kusumi T, Hasegawa T, Sukawa Y, Adachi Y, Okita K, Hirata K, Imamura Y, Baba Y, Imai K, Suzuki H, Yamamoto H, Nosho K, Shinomura Y.
Association of MicroRNA-31-5p with Clinical Efficacy of Anti-EGFR Therapy in Patients with Metastatic Colorectal Cancer.
Ann Surg Oncol. 2015 Aug;22(8):2640-8. doi: 10.1245/s10434-014-4264-7. Epub 2014 Dec 4.
11. Ito T, Nakamura H, Tanaka S, Hasegawa T.
[Conventional GBM vs GBMO: are these two diseases the same or not? -Update information].
No Shinkei Geka. 2014 Nov;42(11):997-1008. doi: 10.11477/mf.1436200023. Review. Japanese.
No abstract available.
12. Moriya K, Katayama S, Onuma M, Rikiishi T, Hosaka M, Watanabe M, Hasegawa T, Sasahara Y, Kure S.
Mesenchymal chondrosarcoma diagnosed on FISH for HEY1-NCOA2 fusion gene.
Pediatr Int. 2014 Oct;56(5):e55-7. doi: 10.1111/ped.12407.
13. Shimada C, Todo Y, Okamoto K, Akashi D, Yamashiro K, Hasegawa T.
Central type primitive neuroectodermal tumor/neuroblastoma of the uterus: a case report.
Radiat Oncol. 2014 Sep 11;9:201. doi: 10.1186/1748-717X-9-201.
14. Yamamoto M, Yajima H, Takahashi H, Yokoyama Y, Ishigami K, Shimizu Y, Tabeya T, Suzuki C, Naishiro Y, Takano K, Yamashita K, Hashimoto M, Keira Y, Honda S, Abe T, Suzuki Y, Mukai M, Himi T, Hasegawa T, Imai K, Shinomura Y.
Everyday clinical practice in IgG4-related dacryoadenitis and/or sialadenitis: results from the SMART database.

15. Hashimoto A, Takada K, Takimoto R, Horiguchi H, Sato T, Iyama S, Murase K, Ono K, Tatekoshi A, Hayashi T, Miyanishi K, Sato Y, Kobune M, Hirayama Y, Kitamura H, Nakanishi K, Masumori N, Hasegawa T, Kato J.
[Effective treatment of metastatic rhabdomyosarcoma with pazopanib].
Gan To Kagaku Ryoho. 2014 Aug;41(8):1041-4. Japanese.
16. Inazawa N, Hatakeyama N, Hori T, Yamamoto M, Igarashi K, Tadashi H, Ogino J, Tsutsumi H, Suzuki N.
Primary orbital neuroblastoma in a 1-month-old boy.
Pediatr Int. 2014 Feb;56(1):122-5. doi: 10.1111/ped.12239.
17. Suzuki Y, Todo Y, Okamoto K, Kato H, Yamashiro K, Hasegawa T.
Mesenchymal chondrosarcoma of the uterus.
Pathol Int. 2014 Jan;64(1):45-7. doi: 10.1111/pin.12130. No abstract available.
18. Osuga T, Hayashi T, Ishiwatari H, Ono M, Yoshida M, Kimura Y, Hasegawa T, Sato Y, Sato T, Miyanishi K, Takimoto R, Kobune M, Kato J.
Pancreatic metastasis from a solitary fibrous tumor of the central nervous system.
JOP. 2014 Jan 10;15(1):58-62. doi: 10.6092/1590-8577/1764. Review.

病理診断学

○主な研究内容

- 1 腫瘍の形態形成及び悪性度に関与する遺伝子異常の解明
- 2 病理診断上有用な免疫組織化学染色マーカーの検討
- 3 新しい分子病理診断法の導入
- 4 骨軟部腫瘍の組織学的悪性度及び予後因子の探索
- 5 悪性腫瘍の治療標的分子となる特異的遺伝子異常の解析

○Pub Med 掲載論文 (2013 年)

1. Takahashi A, Hirohashi Y, Torigoe T, Tamura Y, Tsukahara T, Kanaseki T, Kochin V, Saijo H, Kubo T, Nakatsugawa M, Asanuma H, Hasegawa T, Kondo T, Sato N.
Ectopically expressed variant form of sperm mitochondria-associated cysteine-rich protein augments tumorigenicity of the stem cell population of lung adenocarcinoma cells.
PLoS One. 2013 Nov 11;8(11):e69095. doi: 10.1371/journal.pone.0069095.
2. Shindo T, Masumori N, Kitamura H, Tanaka T, Fukuta F, Hasegawa T, Yanase M, Miyake M, Miyao N, Takahashi A, Matsukawa M, Taguchi K, Shigyo M, Kunishima Y, Tachiki H, Tsukamoto T.
Clinical significance of definite muscle layer in TUR specimen for evaluating progression rate in T1G3 bladder cancer: multicenter retrospective study by the Sapporo Medical University Urologic Oncology Consortium (SUOC).
World J Urol. 2013 Nov 5. [Epub ahead of print]
3. Sugimoto K, Takasawa A, Ichimiya S, Murata M, Kimura H, Aoyama T, Gille JJ, Kuroda N, Shimizu H, Hasegawa T, Sawada N, Furuya M, Nagashima Y.
Multifocal and microscopic chromophobe renal cell carcinomatous lesions associated with 'capsulomas' without FCLN gene abnormality.
Pathol Int. 2013 Oct;63(10):510-5. doi: 10.1111/pin.12099. Epub 2013 Oct 18.
4. Inoue R, Hashimoto K, Masumori N, Takeuchi M, Kitamura H, Hasegawa T, Tsukamoto T.
[Clinical and pathological features of the best candidates for active surveillance-retrospective analysis of patients with radical prostatectomy].[Article in Japanese]
Hinyokika Kyo. 2013 Sep;59(9):555-9.
5. Nishiyama N, Kitamura H, Maeda T, Takahashi S, Masumori N, Hasegawa T, Tsukamoto T.
Clinicopathological Analysis of Patients with Non-muscle-invasive Bladder Cancer: Prognostic Value and Clinical Reliability of the 2004 WHO Classification System.
Jpn J Clin Oncol. 2013 Nov;43(11):1124-31. doi: 10.1093/jjco/hyt120. Epub 2013 Aug 26.
6. Yasuda K, Torigoe T, Morita R, Kuroda T, Takahashi A, Matsuzaki J, Kochin V, Asanuma H, Hasegawa T, Saito T, Hirohashi Y, Sato N.
Ovarian cancer stem cells are enriched in side population and aldehyde dehydrogenase bright overlapping population.
PLoS One. 2013 Aug 13;8(8):e68187. doi: 10.1371/journal.pone.0068187. eCollection 2013.

7. Okada M, Tanaka T, Fukuta F, Masumori N, Tsukamoto T, Takagi S, Hasegawa T.
[A case of stromal tumors of uncertain malignant potential treated by radical prostatectomy].
[Article in Japanese]
Hinyokika Kyo. 2013 Feb;59(2):137-40.
8. Kojima Y, Takasawa A, Murata M, Akagashi K, Inoue T, Hara M, Tokunaga Y, Minase T, Hasegawa T, Sawada N.
A case of urothelial carcinoma, lipid cell variant.
Pathol Int. 2013 Mar;63(3):183-7. doi: 10.1111/pin.12027. Epub 2013 Mar 15.
9. Ogino J, Asanuma H, Hatanaka Y, Matsuno Y, Gotoda H, Muraoka S, Tsuji T, Fukazawa Y, Yamashiro K, Kondo N, Iwaki H, Miyokawa N, Hasegawa T.
Validity and reproducibility of Ki-67 assessment in gastrointestinal stromal tumors and leiomyosarcomas.
Pathol Int. 2013 Feb;63(2):102-7. doi: 10.1111/pin.12038. Epub 2013 Feb 22.
10. Kyoda Y, Kobayashi K, Hirobe M, Shindo T, Fukuta F, Hashimoto K, Tanaka T, Tonooka A, Kitamura H, Takahashi S, Masumori N, Hasegawa T, Tsukamoto T.
Evaluation of long-term outcome for patients with renal cell carcinoma after surgery: analysis of cancer deaths occurring more than 10 years after initial treatment.
Int J Clin Oncol. 2013 Feb 13. [Epub ahead of print]
11. Shindo T, Masumori N, Kobayashi K, Fukuta F, Hirobe M, Tonooka A, Hasegawa T, Kitamura H, Tsukamoto T.
Long-term outcome of small, organ-confined renal cell carcinoma (RCC) is not always favourable.
BJU Int. 2013 May;111(6):941-5. doi: 10.1111/j.1464-410X.2012.11771.x. Epub 2013 Jan 25.
12. Hayashi T, Ishiwatari H, Yoshida M, Ono M, Sato T, Miyanishi K, Sato Y, Kobune M, Takimoto R, Mitsuhashi T, Asanuma H, Ogino J, Hasegawa T, Sonoda T, Kato J.
Rapid on-site evaluation by endosonographer during endoscopic ultrasound-guided fine needle aspiration for pancreatic solid masses.
J Gastroenterol Hepatol. 2013 Apr;28(4):656-63. doi: 10.1111/jgh.12122.
13. Hasegawa T, Asanuma H, Ogino J, Hirohashi Y, Shinomura Y, Iwaki H, Kikuchi H, Kondo T.
Use of potassium channel tetramerization domain-containing 12 as a biomarker for diagnosis and prognosis of gastrointestinal stromal tumor.
Hum Pathol. 2013 Jul;44(7):1271-7. doi: 10.1016/j.humpath.2012.10.013. Epub 2013 Jan 3.
14. Kiriya K, Hirohashi Y, Torigoe T, Kubo T, Tamura Y, Kanaseki T, Takahashi A, Nakazawa E, Saka E, Ragnarsson C, Nakatsugawa M, Inoda S, Asanuma H, Takasu H, Hasegawa T, Yasoshima T, Hirata K, Sato N.
Expression and function of FERMT genes in colon carcinoma cells.
Anticancer Res. 2013 Jan;33(1):167-73.

15. Shimizu Y, Yamamoto M, Naishiro Y, Sudoh G, Ishigami K, Yajima H, Tabeya T, Matsui M, Suzuki C, Takahashi H, Seki N, Himi T, Yamashita K, Noguchi H, Hasegawa T, Suzuki Y, Honda S, Abe T, Imai K, Shinomura Y.
Necessity of early intervention for IgG4-related disease--delayed treatment induces fibrosis progression.
Rheumatology (Oxford). 2013 Apr;52(4):679-83. doi: 10.1093/rheumatology/kes358. Epub 2012 Dec 19.
16. Murakami T, Koyanagi I, Kaneko T, Yoneta A, Keira Y, Wanibuchi M, Hasegawa T, Mikuni N.
Intramedullary spinal cord ganglioglioma presenting as hyperhidrosis: unique symptoms and magnetic resonance imaging findings: case report.
J Neurosurg Spine. 2013 Feb;18(2):184-8. doi: 10.3171/2012.11.SPINE12530. Epub 2012 Nov 30.
17. Morita R, Hirohashi Y, Suzuki H, Takahashi A, Tamura Y, Kanaseki T, Asanuma H, Inoda S, Kondo T, Hashino S, Hasegawa T, Tokino T, Toyota M, Asaka M, Torigoe T, Sato N.
DNA methyltransferase 1 is essential for initiation of the colon cancers.
Exp Mol Pathol. 2013 Apr;94(2):322-9. doi: 10.1016/j.yexmp.2012.10.004. Epub 2012 Oct 9.
18. Hayashi N, Chiba H, Kuronuma K, Go S, Hasegawa Y, Takahashi M, Gasa S, Watanabe A, Hasegawa T, Kuroki Y, Inokuchi J, Takahashi H.
Detection of N-glycosylated gangliosides in non-small-cell lung cancer using GMR8 monoclonal antibody.
Cancer Sci. 2013 Jan;104(1):43-7. doi: 10.1111/cas.12027. Epub 2012 Oct 30.
19. Sugino T, Mikami T, Akiyama Y, Wanibuchi M, Hasegawa T, Mikuni N.
Primary central nervous system anaplastic large-cell lymphoma mimicking lymphomatosis cerebri.
Brain Tumor Pathol. 2013 Jan;30(1):61-5. doi: 10.1007/s10014-012-0094-0. Epub 2012 Mar 18.
20. Kouzu H, Miki T, Mizuno M, Kimura Y, Muranaka A, Yuda S, Keira Y, Hasegawa T, Miyaki Y, Takagi N, Higami T, Miura T.
Inflammatory myofibroblastic tumor of the heart. Overlap with IgG4-related disease?
Circ J. 2014;78(4):1006-8. Epub 2013 Dec 25. No abstract available.
21. Emori M, Tsukahara T, Murase M, Kano M, Murata K, Takahashi A, Kubo T, Asanuma H, Yasuda K, Kochin V, Kaya M, Nagoya S, Nishio J, Iwasaki H, Sonoda T, Hasegawa T, Torigoe T, Wada T, Yamashita T, Sato N.
High expression of CD109 antigen regulates the phenotype of cancer stem-like cells/cancer-initiating cells in the novel epithelioid sarcoma cell line ESX and is related to poor prognosis of soft tissue sarcoma.
PLoS One. 2013 Dec 20;8(12):e84187. doi: 10.1371/journal.pone.0084187. eCollection 2013.
22. Takahashi H, Nakayama R, Hayashi S, Nemoto T, Murase Y, Nomura K, Takahashi T, Kubo K, Marui S, Yasuhara K, Nakamura T, Sueo T, Takahashi A, Tsutsumiuchi K, Ohta T, Kawai A, Sugita S, Yamamoto S, Kobayashi T, Honda H, Yoshida T, Hasegawa T.
Macrophage migration inhibitory factor and stearyl-CoA desaturase 1: potential prognostic markers for soft tissue sarcomas based on bioinformatics analyses.
PLoS One. 2013 Oct 22;8(10):e78250. doi: 10.1371/journal.pone.0078250. eCollection 2013.

23. Makoto Emori, Tomonori Ibata, Mitsunori Kaya, Tadashi Hasegawa, Toshihiko Yamashita
A metastatic gastric tumor originating from a pleomorphic rhabdomyosarcoma of the extremity:
a case report and literature review.
Received: 28 August 2013 /Accepted: 20 November 2013 /Published online: 5 December 2013.
24. Ikeda Y, Sato Y, Kamihara Y, Hirakawa M, Onuma H, Takada K, Hayashi T, Sato T,
Miyanishi K, Takimoto R, Kohune M, Nobuoka T, Noguchi H, Oi M, Honma H, Hirata K,
Hasegawa T, Kato J.
A case of idiopathic encapsulating peritoneal sclerosis with intractable ileus successfully
treated by surgery and steroid therapy.
Clin J Gastroenterol. 2013 Aug;6(4):295-8.doi:10.1007/s12328-013-0395-9.Epub 2013 Jun 20.
25. Yasutoshi Kimura, Yoshiko Keira, Masafumi Imamura, Makoto Meguro, Masayuki Ishii,
Toshihiko Nishidate, Tatsuya Ito, Takayuki Nobuoka, Toru Mizuguchi, Tomohisa Furuhashi,
Naoya Masumori, Tadashi Hasegawa, Koichi Hirata.
Reconsideration of limited resection of the pancreas; is it feasible for pancreatic metastases
in renal cell carcinoma?
Pancreatology, Volume 13, Issue 4, Supplement, July–August 2013, Pages S67-S68
26. Yoshinori Ikehata, Toshiaki Tanaka, Megumi Hirobe, Jiro Hashimoto, Hiroshi Kitamura,
Naoya Masumori, Tadashi Hasegawa, Taiji Tsukamoto
Metastatic renal epithelioid angiomyolipoma arising after a 23-year follow-up of sporadic renal
angiomyolipoma
International Cancer Conference Journal. July 2014, Volume 3, Issue 3, pp 169-172